



**GRAYMONT**

## **SAFETY DATA SHEET**

### **Section 1. Identification of the material and the supplier**

Product: **AeroLime™**  
Product Use: Aerial spreading for pasture liming.  
Restriction of Use in NZ: Refer to Section 15

New Zealand Supplier: **Graymont NZ**  
Address: Hamilton Regional Office  
214 Collingwood Street, Level 4  
Hamilton, 3204

Telephone: +64 7 839 3210  
Toll Free 0800 245 463

**Emergency No: 0800 764 766 (National Poison Centre)**  
**Website: www.graymont.com**

Date of SDS Preparation: 5 October 2022

### **Section 2. Hazards Identification**

NOT classified as hazardous as per EPA Hazardous Substances (Classification) Notice 2020.

### **Section 3. Composition / Information on Hazardous Ingredients**

| <b>Ingredients</b> | <b>Wt%</b> | <b>CAS NUMBER.</b> |
|--------------------|------------|--------------------|
| Limestone          | 60 - 100   | 1317-65-3          |

Crystalline silica has been found in some products at or above detection level 0.1%. Concentration is dependent upon limestone source. However, using the sedimentation method set out in the draft European Standard followed by XRD analysis, all products were shown to have respirable crystalline silica content of <0.1%.

### **Section 4. First Aid Measures**

Routes of Exposure:

If in Eyes: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.

If on Skin: Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

If Swallowed: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

If Inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

## Most important symptoms and effects, both acute and delayed

Symptoms:

**Ingestion:** No known significant effects or critical hazards.

**Inhalation:** Over exposure: Adverse symptoms may include the following:  
respiratory tract irritation, coughing

**Skin:** No known significant effects or critical hazards.

**Eye:** No known significant effects or critical hazards.

**Notes to Doctor:** No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## Section 5. Fire Fighting Measures

|   |   |
|---|---|
| <b>Hazard Type</b>  | Non Flammable   |
| <b>Hazards from products</b>  | Decomposition products may include the following materials:<br>carbon dioxide<br>metal oxide/oxides<br>At 900°C calcium carbonate decomposes and gives off carbon dioxide and fumes of calcium oxide.   |
| <b>Suitable Extinguishing media</b>                                 | Use an extinguishing agent suitable for the surrounding fire.   |
| <b>Precautions for firefighters and special protective clothing</b> | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| <b>HAZCHEM CODE</b>   | <b>None allocated</b>   |

## Section 6. Accidental Release Measures

### Personal precautions:

No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

### Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Spill and Disposal procedures:

**Small Spill:** Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

**Large Spill:** Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Dispose of waste safely, according to local Council regulations as per Section 13.

## Section 7. Handling and Storage

### Precautions for Handling:

- Put on appropriate personal protective equipment (see Section 8).
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Product Name: **AeroLime**  
Date of SDS: 5 October 2022

SDS Prepared by: Nexreg Compliance Inc.  
Tel: +1-519-488-5126

- Workers should wash hands and face before eating, drinking and smoking.
- Remove contaminated clothing and protective equipment before entering eating areas.
- NOTE: Only AeroLime™ is suitable for aerial spreading - other limestone products cannot be substituted.

**Precautions for Storage:**

- Store in original container protected from direct sunlight in a dry, cool and well ventilated area, away from incompatible materials (see Section 10) and food and drink. Store to minimize dust generation.
- Keep container tightly closed and sealed until ready for use.
- Containers that have been opened must be carefully resealed and kept upright to prevent leakage.
- Do not store in unlabelled containers.
- Use appropriate containment to avoid environmental contamination.
- Graymont provides AeroLime™ clean and dry. Following pickup of AeroLime™, subsequent hazards can arise associated with acceptance, storage, loading and application of AeroLime™, which must be managed according to the Farm Airstrips And Associated Fertiliser Cartage, Storage And Application, (CAA, December 2006). After pickup, AeroLime™ shall be kept in a free-flowing condition, which will require it to be kept free from contamination, and dry. A final flowability check should be performed before AeroLime™ is loaded to the aircraft hopper. Responsibilities to manage hazards lie with the transport operator, airstrip owners and/or farmers, pilot and aerial operator. The pilot has the right of refusal to fly the product.

**Section 8 Exposure Controls / Personal Protection**

**WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

| Substance                     |             | TWA |                   | STEL |                   |
|-------------------------------|-------------|-----|-------------------|------|-------------------|
|                               |             | ppm | mg/m <sup>3</sup> | ppm  | mg/m <sup>3</sup> |
| Limestone (Calcium carbonate) | [1317-65-3] | -   | 10                | -    | -                 |

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13<sup>TH</sup> EDITION.

**Engineering Controls**

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Personal Protection Equipment**



|             |   |
|-------------|---|
| <b>Eyes</b> | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. |
|-------------|---|

|                    |  |
|--------------------|--|
| <b>Hands</b>       | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.  |
| <b>Respiratory</b> | Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Wear an appropriate NIOSH approved respirator if concentration levels exceed the safe exposure limits. |
| <b>General</b>     | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.                              |

## Section 9 Physical and Chemical Properties

|   |                                |
|---|--------------------------------|
| <b>Appearance</b>                       | Solid (or powder)              |
| <b>Colour</b>                           | White to grey                  |
| <b>Odour</b>                            | Odourless                      |
| <b>Odour Threshold</b>                  | Not available                  |
| <b>pH</b>                               | 8 to 9.2 @ 20°C                |
| <b>Boiling Point</b>                    | Not available                  |
| <b>Melting Point</b>                    | Not available                  |
| <b>Freezing Point</b>                   | Not available                  |
| <b>Flash Point</b>                      | Not available                  |
| <b>Flammability</b>                     | Not Flammable                  |
| <b>Upper and Lower Explosive Limits</b> | Not available                  |
| <b>Vapour Pressure</b>                  | Not available                  |
| <b>Vapour Density</b>                   | Not available                  |
| <b>Relative Density</b>                 | 2.68 to 2.76                   |
| <b>Density</b>                          | 2.68 to 2.76 g/cm <sup>3</sup> |
| <b>Water Solubility</b>                 | 0.00066g at 20°C               |
| <b>Partition Coefficient:</b>           | Not available                  |
| <b>Auto-ignition Temperature</b>        | Not available                  |
| <b>Decomposition Temperature</b>        | 900°C for 760mm pressure       |
| <b>Kinematic Viscosity</b>              | Not available                  |
| <b>Particle Characteristics</b>         | Not available                  |

## Section 10. Stability and Reactivity

|   |  |
|---|--|
| <b>Stability of Substance</b>             | The product is stable.   |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.  |
| <b>Conditions to Avoid</b>                | Do not allow limestone to come into contact with incompatible materials.                             |
| <b>Incompatible Materials</b>             | Reactive or incompatible with the following materials: oxidising materials and strong acids.         |
| <b>Hazardous Decomposition Products</b>   | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

## Section 11 Toxicological Information

### Acute Effects:

|                   |   |
|-------------------|---|
| <b>Swallowed</b>  | Not applicable. Repeated exposure may cause severe mucous membrane irritation, bronchitis and pneumonia.  |
| <b>Dermal</b>     | Not applicable.   |
| <b>Inhalation</b> | Not applicable. Repeated exposure may cause severe mucous membrane irritation, bronchitis and pneumonia. Over exposure may cause respiratory tract irritation and coughing. |
| <b>Eye</b>        | Not applicable.   |
| <b>Skin</b>       | Not applicable. Prolonged exposure may cause irritant dermatitis.   |

**Chronic Effects:**

|                               |                 |
|-------------------------------|-----------------|
| <b>Carcinogenicity</b>        | Not applicable. |
| <b>Reproductive Toxicity</b>  | Not applicable. |
| <b>Germ Cell Mutagenicity</b> | Not applicable. |
| <b>Aspiration</b>             | Not applicable. |
| <b>STOT/SE</b>                | Not applicable. |
| <b>STOT/RE</b>                | Not applicable. |

**Section 12. Ecotoxicological Information**

No known significant effects or critical hazards.

|                                      |                   |
|--------------------------------------|-------------------|
| <b>Persistence and degradability</b> | No data available |
| <b>Bioaccumulation</b>               | No data available |
| <b>Mobility in Soil</b>              | No data available |
| <b>Other adverse effects</b>         | No data available |

**Section 13. Disposal Considerations**

**Disposal Method:**

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues.

**Precautions or methods to avoid:** Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

**Section 14 Transport Information**

**This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2020**

**Section 15 Regulatory Information**

This substance is NOT classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

**Section 16 Other Information**

**Glossary**

|                  |   |
|------------------|---|
| Cat              | Category  |
| EC <sub>50</sub> | Median effective concentration.   |
| EEL              | Environmental Exposure Limit.   |
| EPA              | Environmental Protection Authority  |
| HSNO             | Hazardous Substances and New Organisms.   |
| HSW              | Health and Safety at Work.  |
| LC <sub>50</sub> | Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it. |
| LD <sub>50</sub> | Lethal dose to kill 50% of test animals/organisms.                                      |
| LEL              | Lower explosive level.  |
| OSHA             | American Occupational Safety and Health Administration.                                 |
| TEL              | Tolerable Exposure Limit.   |
| TLV              | Threshold Limit Value-an exposure limit set by responsible authority.                   |
| UEL              | Upper Explosive Level   |
| WES              | Workplace Exposure Limit  |

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

#### Disclaimer

This document was created by a 3rd party service that has advertised to Nexreg Compliance, Inc. (Nexreg) specialized regulatory knowledge and capabilities in the region(s) where this document is stated to be compliant. We believe the statements, technical information, translations and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. In the event that there is a dispute regarding the document's compliance or content Nexreg will endeavour to provide all reasonable assistance to remedy the problem. It is ultimately the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use. The information herein is given in good faith, but no warranty, express or implied is made.

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 5 October 2022                      Review Date: 5 October 2027